

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Red Bank Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	11	14
AIDS-CD4 Only	29	40	0	0	29	38
HIV Only	#	#	#	#	36	47
-----	-----	---	-----	---	-----	---
Total	72	100	#	#	76	100

Current			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Age *	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	#	#	White, Not Hispanic	#	#	#	#	18	24
5-12	#	#	Black, Not Hispanic	#	#	#	#	54	71
13-19	0	0	Hispanic	#	#	#	#	#	#
20-29	#	#	Other/Unknown	#	#	#	#	#	#
30-39	12	16	-----	-----	---	-----	---	-----	---
40-49	32	42	Total	72	100	#	#	76	100
50+	26	34							
Unk.	0	0							
-----	-----	---							
Total	76	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	16	38	0	0	16	22
Injection drug user (IDU)	14	33	17	57	31	43
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	5	12	#	#	7	10
-----	-----	---	-----	---	-----	---
Total	42	100	30	100	72	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	.	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 0 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Red Bank Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	(#)	#	(#)	#	(#)	#	(#)
Other OI w/o PCP	29	(29)	24	(86)	0	(0)	29	(29)
KS Alone	#	(#)	#	(#)	#	(#)	#	(#)
No Disease Listed	41	(41)	12	(30)	0	(0)	41	(41)
Total	99	(100)	60	(63)	#	(#)	100	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	29	29	0	0	29	29
5-12	#	#	Black, Not Hispanic	#	#	#	#	#	#
13-19	0	0	Hispanic	#	#	#	#	#	#
20-29	12	12	Other/Unknown	0	0	0	0	0	0
30-39	41	41	-----	-----	-----	-----	-----	-----	-----
40-49	36	36	Total	99	100	#	#	100	100
Over 49	10	10							
Unknown	0	0							
Total	100	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	21	32	0	0	21	21
Injection drug user (IDU)	29	44	18	55	47	47
MSM/IDU	5	8	0	0	5	5
Heterosexual contact	5	8	11	33	16	16
Risk not reported/other***	6	9	#	#	10	10
Total	66	100	33	100	99	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	.	0	0	0	0
Total	#	#	#	#	#	#

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Red Bank Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	#	#	#
1986	#	#	#
1987	#	#	#
1988	7	5	71%
1989	5	5	100%
1990	8	8	100%
1991	8	7	88%
1992	5	#	#
1993	10	5	50%
1994	11	7	64%
1995	9	6	67%
1996	#	#	#
1997	9	#	#
1998	6	#	#
1999	#	#	#
2000	5	#	#
2002	#	#	#
2003	#	#	#
-----	-----	-----	-----
Total	100	60	60%